

Chapter 1

1. –

2. –

3. –

$$4. \quad 10 \cancel{\text{min}} \left[\frac{1 \text{ h}}{60 \cancel{\text{min}}} \right] = \mathbf{0.167 \text{ h}}$$

$$v = \frac{d}{t} = \frac{30.5 \text{ mi}}{1.167 \text{ h}} = \mathbf{26.14 \text{ mph}}$$

5. a. $\text{mph} = (0.6)(160 \text{ km/h}) = \mathbf{96 \text{ mph}}$

b. $\text{km/h} = (1.7)(70 \text{ mph}) = \mathbf{119 \text{ km/h}}$

$$6. \quad 100 \cancel{\text{yds}} \left[\frac{3 \cancel{\text{ft}}}{1 \cancel{\text{yd}}} \right] \left[\frac{1 \text{ mi}}{5,280 \cancel{\text{ft}}} \right] = 0.0568 \text{ mi}$$

$$\frac{60 \cancel{\text{mi}}}{\cancel{\text{hr}}} \left[\frac{1 \cancel{\text{h}}}{60 \cancel{\text{min}}} \right] \left[\frac{1 \cancel{\text{min}}}{60 \text{ s}} \right] = 0.0167 \text{ mi/s}$$

$$t = \frac{d}{v} = \frac{0.0568 \text{ mi}}{0.0167 \text{ mi/s}} = \mathbf{3.40 \text{ s}}$$

$$7. \quad \text{a.} \quad \frac{95 \cancel{\text{mi}}}{\cancel{\text{hr}}} \left[\frac{5,280 \cancel{\text{ft}}}{1 \cancel{\text{mi}}} \right] \left[\frac{1 \cancel{\text{h}}}{60 \cancel{\text{min}}} \right] \left[\frac{1 \cancel{\text{min}}}{60 \text{ s}} \right] = \mathbf{139.33 \text{ ft/s}}$$

$$\text{b.} \quad t = \frac{d}{v} = \frac{60 \text{ ft}}{139.33 \text{ ft/s}} = \mathbf{0.43 \text{ s}}$$

$$\text{c.} \quad v = \frac{d}{t} = \frac{60 \cancel{\text{ft}}}{1 \cancel{\text{s}}} \left[\frac{60 \cancel{\text{s}}}{1 \cancel{\text{min}}} \right] \left[\frac{60 \cancel{\text{min}}}{1 \text{ h}} \right] \left[\frac{1 \text{ mi}}{5,280 \cancel{\text{ft}}} \right] = \mathbf{40.91 \text{ mph}}$$

8. –

9. –

10. –

$$11. \quad \text{MKS, CGS, } ^\circ\text{C} = \frac{5}{9} (^{\circ}\text{F} - 32) = \frac{5}{9} (68 - 32) = \frac{5}{9} (36) = \mathbf{20^\circ}$$

$$\text{SI: } \text{K} = 273.15 + ^\circ\text{C} = 273.15 + 20 = \mathbf{293.15}$$

$$12. \quad 1000 \cancel{\text{J}} \left[\frac{0.7378 \cancel{\text{ft}} \cdot \cancel{\text{lb}}}{1 \cancel{\text{J}}} \right] = \mathbf{737.8 \text{ ft-lbs}}$$

21. a. $(10^2)(10^3) = 10^5 = \mathbf{100 \times 10^3}$
 b. $(10^{-2})(10^3) = 10^1 = \mathbf{10}$
 c. $(10^3)(10^6) = \mathbf{1 \times 10^9}$
 d. $(10^2)(10^{-5}) = \mathbf{1 \times 10^{-3}}$
 e. $(10^{-6})(10 \times 10^6) = \mathbf{10}$
 f. $(10^4)(10^{-8})(10^{28}) = \mathbf{1 \times 10^{24}}$
22. a. $(50 \times 10^3)(2 \times 10^{-3}) = 100 \times 10^0 = \mathbf{100}$
 b. $(2.2 \times 10^3)(2 \times 10^{-3}) = 4.4 \times 10^0 = \mathbf{4.40}$
 c. $(82 \times 10^{-6})(1.2 \times 10^{-6}) = \mathbf{98.40}$
 d. $(30 \times 10^{-4})(4 \times 10^{-3})(7 \times 10^8) = 840 \times 10^1 = \mathbf{8.40 \times 10^3}$
23. a. $10^2/10^4 = 10^{-2} = \mathbf{10 \times 10^{-3}}$
 b. $10^{-2}/10^3 = 10^{-5} = \mathbf{10 \times 10^{-6}}$
 c. $10^4/10^{-3} = 10^7 = \mathbf{10 \times 10^6}$
 d. $10^{-7}/10^2 = \mathbf{1.0 \times 10^{-9}}$
 e. $10^{38}/10^{-4} = \mathbf{1.0 \times 10^{42}}$
 f. $\sqrt{100}/10^{-2} = 10^1/10^{-2} = \mathbf{1 \times 10^3}$
24. a. $(2 \times 10^3)/(8 \times 10^{-5}) = 0.25 \times 10^8 = \mathbf{2.50 \times 10^7}$
 b. $(4 \times 10^{-3})/(4 \times 10^6) = 4/4 \times 10^{-9} = \mathbf{1 \times 10^{-9}}$
 c. $(22 \times 10^{-5})/(5 \times 10^{-5}) = 22/5 \times 10^0 = \mathbf{4.40}$
 d. $(78 \times 10^{18})/(4 \times 10^{-6}) = \mathbf{1.95 \times 10^{25}}$
25. a. $(10^2)^3 = \mathbf{1.0 \times 10^6}$ b. $(10^{-4})^{1/2} = \mathbf{10.0 \times 10^{-3}}$
 c. $(10^4)^8 = \mathbf{100.0 \times 10^{30}}$ d. $(10^{-7})^9 = \mathbf{1.0 \times 10^{-63}}$
26. a. $(2 \times 10^2)^2 = \mathbf{4 \times 10^4}$
 b. $(5 \times 10^{-3})^3 = \mathbf{125 \times 10^{-9}}$
 c. $(4 \times 10^{-3})(3 \times 10^{-3})^2 = (4 \times 10^{-3})(9 \times 10^4) = 36 \times 10^1 = \mathbf{360}$
 d. $((2 \times 10^{-3})(0.8 \times 10^4)(0.003 \times 10^5))^3 = (4.8 \times 10^3)^3 = (4.8)^3 \times (10^3)^3$
 $= 110.6 \times 10^9 = \mathbf{1.11 \times 10^{11}}$
27. a. $\frac{(3 \times 10^2)^2(10^2)}{3 \times 10^4} = (9 \times 10^4)(10^2)/(3 \times 10^4) = (9 \times 10^6)/(3 \times 10^4) = 3 \times 10^2 = \mathbf{300}$
 b. $\frac{(4 \times 10^4)^2}{(20)^3} = \frac{16 \times 10^8}{8 \times 10^3} = \mathbf{2 \times 10^5}$
 c. $\frac{(6 \times 10^4)^2}{(2 \times 10^{-2})^2} = \frac{36 \times 10^8}{4 \times 10^{-4}} = \mathbf{9.0 \times 10^{12}}$
 d. $\frac{(27 \times 10^{-6})^{1/3}}{2 \times 10^5} = \frac{3 \times 10^{-2}}{2 \times 10^5} = 1.5 \times 10^{-7} = \mathbf{150.0 \times 10^{-9}}$
 e. $\frac{(4 \times 10^3)^2(3 \times 10^2)}{2 \times 10^{-4}} = \frac{(16 \times 10^6)(3 \times 10^2)}{2 \times 10^{-4}} = \frac{48 \times 10^8}{2 \times 10^{-4}} = \mathbf{24.0 \times 10^{12}}$
 f. $(16 \times 10^{-6})^{1/2}(10^5)^5(2 \times 10^{-2}) = (4 \times 10^{-3})(10^{25})(2 \times 10^{-2}) = 8 \times 10^{20} = \mathbf{800.0 \times 10^{18}}$

$$\begin{aligned}
 \text{g. } & \frac{[3 \times 10^{-3}]^3 [0.60 \times 10^2]^2 [2 \times 10^2)(8 \times 10^{-4})]^{1/2}}{(7 \times 10^{-5})^2} \\
 & = \frac{(27 \times 10^{-9})(2.56 \times 10^4)(16 \times 10^{-2})^{1/2}}{49 \times 10^{-10}} \\
 & = \frac{(69.12 \times 10^{-5})(4 \times 10^{-1})}{49 \times 10^{-10}} = \frac{276.48 \times 10^{-6}}{49 \times 10^{-10}} \\
 & = 5.64 \times 10^4 = \mathbf{56.40 \times 10^3}
 \end{aligned}$$

28. Scientific:
- a. 2.05×10^1
 - b. 5.04×10^4
 - c. 6.74×10^{-4}
 - d. 4.60×10^{-2}

- Engineering:
- a. 20.46×10^0
 - b. 50.42×10^3
 - c. 674.00×10^{-6}
 - d. 46.00×10^{-3}

29. Scientific
- a. 5.0×10^{-2}
 - b. 4.5×10^1
 - c. $1/32 = 0.03125 = \mathbf{3.125 \times 10^{-2}}$
 - d. $3.14159 = \mathbf{3.142 \times 10^0}$

- Engineering:
- a. 50.0×10^{-3}
 - b. 0.045×10^3
 - c. 31.25×10^{-3}
 - d. 3.142×10^0

- 30.
- a. $(6)(4) \times (10^{-3})(10^4) = 24 \times 10^1 = \mathbf{240}$
 - b. $(70)(0.02) \times (10^5)(10^3) = 4.4 \times 10^8 = \mathbf{440 \times 10^6}$
 - c. $(0.001)(600) \times (10^7)(10^4) = 0.6 \times 10^{11}$
 $\frac{0.6 \times 10^{11}}{4 \times 10^3} = \left[\frac{0.6}{4} \right] \times \left[\frac{10^{11}}{10^3} \right] = 0.15 \times 10^8 = \mathbf{150 \times 10^6}$
 - d. $(5.2)^2 \times (10^4)^2 = 27.04 \times 10^8$
 $\frac{27.04 \times 10^8}{2.02 \times 10^3} = 13.39 \times 10^5 = \mathbf{1.34 \times 10^6}$

31. a. $6 \times 10^4 = \underline{0.06} \times 10^6 = \mathbf{0.06 \times 10^6}$
 (Arrow from 10^4 to 10^6 labeled +2; Arrow from 6 to 0.06 labeled -3)
- b. $0.4 \times 10^{-3} = \underline{400} \times 10^{-6} = \mathbf{400 \times 10^{-6}}$
 (Arrow from 10^{-3} to 10^{-6} labeled -3; Arrow from 0.4 to 400 labeled +3)
- c. $50 \times 10^5 = \underline{5000} \times 10^3 = \underline{5} \times 10^6 = \underline{0.005} \times 10^9 = \mathbf{0.005 \times 10^9}$
 (Arrow from 10^5 to 10^3 labeled -2; Arrow from 50 to 5000 labeled +2; Arrow from 10^3 to 10^6 labeled +3; Arrow from 5000 to 5 labeled -3; Arrow from 10^6 to 10^9 labeled +3; Arrow from 5 to 0.005 labeled -3)
- d. $12 \times 10^{-7} = \underline{0.0012} \times 10^{-3} = \underline{1.2} \times 10^{-6} = \underline{1200} \times 10^{-9} = \mathbf{1200 \times 10^{-9}}$
 (Arrow from 10^{-7} to 10^{-3} labeled +4; Arrow from 12 to 0.0012 labeled -4; Arrow from 10^{-3} to 10^{-6} labeled -3; Arrow from 0.0012 to 1.2 labeled +3; Arrow from 10^{-6} to 10^{-9} labeled -3; Arrow from 1.2 to 1200 labeled +3)
32. a. $0.05 \times 10^0 \text{ s} = \underline{50} \times 10^{-3} \text{ s} = \mathbf{50 \text{ ms}}$
 (Arrow from 10^0 to 10^{-3} labeled -3; Arrow from 0.05 to 50 labeled +3)
- b. $2000 \times 10^{-6} \text{ s} = \underline{2} \times 10^{-3} \text{ s} = \mathbf{2 \text{ ms}}$
 (Arrow from 10^{-6} to 10^{-3} labeled +3; Arrow from 2000 to 2 labeled -3)
- c. $0.04 \times 10^{-3} \text{ s} = \underline{40} \times 10^{-6} \text{ s} = \mathbf{40 \mu\text{s}}$
 (Arrow from 10^{-3} to 10^{-6} labeled -3; Arrow from 0.04 to 40 labeled +3)
- d. $8400 \times 10^{-12} \text{ s} \Rightarrow \underline{0.0084} \times 10^{-6} \text{ s} = \mathbf{0.0084 \mu\text{s}}$
 (Arrow from 10^{-12} to 10^{-6} labeled +6; Arrow from 8400 to 0.0084 labeled -6)

$$\begin{array}{c}
 +3 \\
 \text{increase by 3} \\
 \downarrow \\
 10^0 \\
 \leftarrow \text{ } \rightarrow \\
 100 \times 10^3 \times 10^{-3} \text{ m} = \underline{0.1} \times 10^3 \text{ m} = \mathbf{0.1 \text{ km}} \\
 \leftarrow \text{ } \rightarrow \\
 -3
 \end{array}$$

33. a. $1.5 \cancel{\text{ min}} \left[\frac{60 \text{ s}}{1 \cancel{\text{ min}}} \right] = \mathbf{90 \text{ s}}$

b. $2 \times 10^{-2} \cancel{\text{ hr}} \left[\frac{60 \cancel{\text{ min}}}{1 \cancel{\text{ hr}}} \right] \left[\frac{60 \text{ s}}{1 \cancel{\text{ min}}} \right] = \mathbf{72 \text{ s}}$

c. $0.05 \cancel{\text{ s}} \left[\frac{1 \mu\text{s}}{10^{-6} \cancel{\text{ s}}} \right] = \mathbf{0.05 \times 10^6 \mu\text{s} = 50 \times 10^3 \mu\text{s}}$

d. $0.16 \cancel{\text{ m}} \left[\frac{1 \text{ mm}}{10^{-3} \cancel{\text{ m}}} \right] = 0.16 \times 10^3 \text{ mm} = \mathbf{160 \text{ mm}}$

e. $1.2 \times 10^{-7} \cancel{\text{ s}} \left[\frac{1 \text{ ns}}{10^{-9} \cancel{\text{ s}}} \right] = 1.2 \times 10^2 \text{ ns} = \mathbf{120 \text{ ns}}$

f. $4 \times 10^8 \cancel{\text{ s}} \left[\frac{1 \cancel{\text{ min}}}{60 \cancel{\text{ s}}} \right] \left[\frac{1 \cancel{\text{ hr}}}{60 \cancel{\text{ min}}} \right] \left[\frac{1 \text{ day}}{24 \cancel{\text{ hr}}} \right] = \mathbf{4629.6 \text{ days}}$

34. a. $80 \times 10^{-3} \cancel{\text{ m}} \left[\frac{100 \text{ cm}}{1 \cancel{\text{ m}}} \right] = 8000 \times 10^{-3} \text{ cm} = \mathbf{8 \text{ cm}}$

b. $60 \cancel{\text{ cm}} \left[\frac{1 \cancel{\text{ m}}}{100 \cancel{\text{ cm}}} \right] \left[\frac{1 \text{ km}}{1000 \cancel{\text{ m}}} \right] = \mathbf{60 \times 10^{-5} \text{ km}}$

c. $12 \times 10^{-3} \cancel{\text{ m}} \left[\frac{1 \mu\text{m}}{10^{-6} \cancel{\text{ m}}} \right] = 12 \times 10^{-3} \times 10^6 \mu\text{m} = \mathbf{12 \times 10^3 \mu\text{m}}$

d. $60 \cancel{\text{ cm}^2} \left[\frac{1 \text{ m}}{100 \cancel{\text{ cm}}} \right] \left[\frac{1 \text{ m}}{100 \cancel{\text{ cm}}} \right] = \mathbf{60 \times 10^{-4} \text{ m}^2}$

35. a. $100 \cancel{\text{ }\mu\text{m}} \left[\frac{1 \text{ m}}{39.37 \cancel{\text{ }\mu\text{m}}} \right] = \mathbf{2.54 \text{ m}}$

b. $4 \cancel{\text{ }\mu\text{m}} \left[\frac{2 \cancel{\text{ }\mu\text{m}}}{1 \cancel{\text{ }\mu\text{m}}} \right] \left[\frac{1 \text{ m}}{39.37 \cancel{\text{ }\mu\text{m}}} \right] = \mathbf{1.22 \text{ m}}$

- c. $6 \cancel{\text{ k}} \left[\frac{4.45 \text{ N}}{1 \cancel{\text{ k}}} \right] = 26.7 \text{ N}$
- d. $60 \times 10^3 \cancel{\text{ dynes}} \left[\frac{1 \cancel{\text{ N}}}{10^5 \cancel{\text{ dynes}}} \right] \left[\frac{1 \text{ lb}}{4.45 \cancel{\text{ N}}} \right] = 0.13 \text{ lb}$
- e. $150,000 \cancel{\text{ cm}} \left[\frac{1 \cancel{\text{ in.}}}{2.54 \cancel{\text{ cm}}} \right] \left[\frac{1 \text{ ft}}{12 \cancel{\text{ in.}}} \right] = 4921.26 \text{ ft}$
- f. $0.002 \cancel{\text{ mi}} \left[\frac{5280 \cancel{\text{ ft}}}{1 \cancel{\text{ mi}}} \right] \left[\frac{1 \cancel{\text{ in.}}}{1 \cancel{\text{ ft}}} \right] \left[\frac{1 \text{ m}}{39.37 \cancel{\text{ in.}}} \right] = 3.22 \text{ m}$
36. $5280 \text{ ft}, \quad 5280 \cancel{\text{ ft}} \left[\frac{1 \cancel{\text{ yd}}}{3 \cancel{\text{ ft}}} \right] = 1760 \text{ yds}$
 $5280 \cancel{\text{ ft}} \left[\frac{12 \cancel{\text{ in.}}}{1 \cancel{\text{ ft}}} \right] \left[\frac{1 \text{ m}}{39.37 \cancel{\text{ in.}}} \right] = 1609.35 \text{ m}, 1.61 \text{ km}$
37. $\frac{60 \cancel{\text{ mi}}}{\cancel{\text{ h}}} \left[\frac{5280 \cancel{\text{ ft}}}{1 \cancel{\text{ mi}}} \right] \left[\frac{1 \cancel{\text{ in.}}}{1 \cancel{\text{ ft}}} \right] \left[\frac{1 \text{ m}}{39.37 \cancel{\text{ in.}}} \right] \left[\frac{1 \cancel{\text{ h}}}{60 \cancel{\text{ min}}} \right] \left[\frac{1 \cancel{\text{ min}}}{60 \text{ s}} \right] = 26.82 \text{ m/s}$
38. $10 \cancel{\text{ km}} \left[\frac{1000 \cancel{\text{ m}}}{1 \cancel{\text{ km}}} \right] \left[\frac{39.37 \cancel{\text{ in.}}}{1 \cancel{\text{ m}}} \right] \left[\frac{1 \cancel{\text{ ft}}}{12 \cancel{\text{ in.}}} \right] \left[\frac{1 \text{ mi}}{5280 \cancel{\text{ ft}}} \right] = 6.214 \text{ mi}$
 $v = \frac{1 \text{ mi}}{6.5 \text{ min}}, \quad t = \frac{d}{v} = \frac{6.214 \cancel{\text{ mi}}}{\frac{1 \cancel{\text{ mi}}}{6.5 \text{ min}}} = 40.39 \text{ min}$
39. $100 \cancel{\text{ yds}} \left[\frac{3 \cancel{\text{ ft}}}{1 \cancel{\text{ yd}}} \right] \left[\frac{12 \text{ in.}}{1 \cancel{\text{ ft}}} \right] = 3600 \text{ in} \Rightarrow 3600 \text{ quarters}$
40. $60 \text{ mph}: \quad t = \frac{d}{v} = \frac{500 \text{ mi}}{60 \text{ mph}} = 8.33 \text{ h} = 8 \text{ h: } 19.8 \text{ min}$
 $70 \text{ mph}: \quad t = \frac{d}{v} = \frac{500 \text{ mi}}{70 \text{ mph}} = 7.14 \text{ h} = 7 \text{ h: } 8.4 \text{ min}$
 difference = **1 h: 11.4 min**
41. $d = vt = \left[600 \frac{\cancel{\text{ cm}}}{\cancel{\text{ s}}} \right] [0.016 \cancel{\text{ h}}] \left[\frac{60 \cancel{\text{ min}}}{1 \cancel{\text{ h}}} \right] \left[\frac{60 \cancel{\text{ s}}}{1 \cancel{\text{ min}}} \right] \left[\frac{1 \cancel{\text{ m}}}{100 \cancel{\text{ cm}}} \right] = 345.6 \text{ m}$

42. $d = 86 \cancel{\text{ stories}} \left[\frac{14 \cancel{\text{ ft}}}{\cancel{\text{ story}}} \right] \left[\frac{1 \cancel{\text{ step}}}{\frac{9}{12} \cancel{\text{ ft}}} \right] = 1605 \text{ steps}$
 $v = \frac{d}{t} \Rightarrow t = \frac{d}{v} = \frac{1605 \text{ steps}}{2 \frac{\text{steps}}{\text{second}}} = 802.5 \cancel{\text{ seconds}} \left[\frac{1 \text{ minute}}{60 \cancel{\text{ seconds}}} \right] = \mathbf{13.38 \text{ minutes}}$
43. $d = (86 \cancel{\text{ stories}}) \left[\frac{14 \cancel{\text{ ft}}}{\cancel{\text{ story}}} \right] = 1204 \cancel{\text{ ft}} \left[\frac{1 \text{ mile}}{5,280 \cancel{\text{ ft}}} \right] = 0.228 \text{ miles}$
 $\frac{\text{min}}{\text{mile}} = \frac{10.22 \text{ min}}{0.228 \text{ miles}} = \mathbf{44.82 \text{ min/mile}}$
44. $\frac{5 \text{ min}}{\text{mile}} \Rightarrow \frac{1 \cancel{\text{ mile}}}{5 \text{ min}} \left[\frac{5,280 \cancel{\text{ ft}}}{1 \cancel{\text{ mile}}} \right] = \frac{1056 \text{ ft}}{\text{minute}}$, distance = $86 \cancel{\text{ stories}} \left[\frac{14 \cancel{\text{ ft}}}{\cancel{\text{ story}}} \right] = 1204 \text{ ft}$
 $v = \frac{d}{t} \Rightarrow t = \frac{d}{v} = \frac{1204 \text{ ft}}{1056 \frac{\text{ft}}{\text{min}}} = \mathbf{1.14 \text{ minutes}}$
45. a. $5 \cancel{\mathcal{J}} \left[\frac{1 \text{ Btu}}{1054.35 \cancel{\mathcal{J}}} \right] = 4.74 \times 10^{-3} \text{ Btu}$
- b. $24 \cancel{\text{ ounces}} \left[\frac{1 \cancel{\text{ gallon}}}{128 \cancel{\text{ ounces}}} \right] \left[\frac{1 \text{ m}^3}{264.172 \cancel{\text{ gallons}}} \right] = 7.1 \times 10^{-4} \text{ m}^3$
- c. $1.4 \cancel{\text{ days}} \left[\frac{86,400 \cancel{\text{ s}}}{1 \cancel{\text{ day}}} \right] = 1.21 \times 10^5 \text{ s}$
- d. $1 \cancel{\text{ m}^3} \left[\frac{264.172 \cancel{\text{ gallons}}}{1 \cancel{\text{ m}^3}} \right] \left[\frac{8 \cancel{\text{ pints}}}{1 \cancel{\text{ gallon}}} \right] = 2113.38 \text{ pints}$
46. $6(4 \times 2 + 8) = \mathbf{96}$
47. $(42 + 6/5)/3 = \mathbf{14.4}$
48. $\sqrt{5^2 + \left(\frac{2}{3}\right)^2} = \mathbf{5.044}$
49. MODE = DEGREES: $\cos 21.87^\circ = \mathbf{0.928}$
50. MODE = DEGREES: $\tan^{-1}(3/4) = \mathbf{36.87^\circ}$
51. $\sqrt{400/(6^2 + 10/5)} = \mathbf{7.071}$

52. 205×10^{-6}

53. 1.20×10^{12}

54. $6.667 \times 10^6 + 0.5 \times 10^6 = 7.17 \times 10^6$